



PRODUCT CATALOG

2021-2022

AUTOMOTIVE LUBRICANTS



Quality control is vitally important to us. By handling everything but the manufacturing process, we are able to keep the cost reasonable, maintain our exclusive relationship with our customers and assure their complete satisfaction.



SCAN TO CONTACT

ENJOY THE DRIVE



OSSOL

where lubrication meets Innovation



FIGHTER PLUS

Grades	SKUs Available
20W40	1Ltr / 900mL
15W40	1Ltr
15W50	2.5L / 1Ltr

Product Description

Ossol Fighter Plus 4T Oil is formulated with premium quality selected base oils in combination with shear stability, VI improver and a robust additive package, providing an exceptional multi-functional oil.

Fighter Plus enhances engine cleanliness, Durability & improves clutch performance and longevity. It enhances the catalyst system protection with outstanding wet clutch protection for maximum Power Transfer & smooth shifting.

Recommended for use in all 4 stroke high performance motorcycles of Bajaj, Honda, Hero Motor Corp, Suzuki, TVS and others. Meets API SN JASO MA2 specifications.



OSSOREX

Grades	SKUs Available
10W30	900mL
20W50	900mL

Product Description

Ossorex 4T Oil is developed for all-year use in normal to heavy-duty street, dirt & racing bikes. Selected high quality additives ensures optimal lubrication, excellent engine cleanliness and impressive friction coefficient in all conditions.

Ossorex enhances engine cleanliness, Durability & improves clutch performance and longevity. It ensures low oil consumption and evaporation losses with optimal lubrication and maximises high shear and ageing stability.

Recommended for use in all types of gasoline-fueled vehicles. It is recommended for all domestic and foreign vehicles. Meets API SM, SL OR SJ JASO MA2 specifications.



3 STAR

Grades	SKUs Available
20W40	1Ltr / 900mL
10W30	900mL

Product Description

Ossol 3 Star 4T Oil is specifically developed with selected base oils in combination with shear stability, VI improver and a robust additive package, providing an exceptional multi-functional oil.

3 Star 4T oil provide good engine cleanliness, Durability & improves clutch performance and longevity. It provide outstanding wet clutch protection for maximum Power Transfer & smooth shifting.

Recommended for use in all 4 stroke high performance motorcycles of Bajaj, Honda, Hero Motor Corp, Suzuki, TVS and others. Meets API SM JASO MA2 specifications.





MARATHONER

Grades	SKUs Available
10W50	1Ltr

Product Description

MARATHONER 4T Oil is developed for all-year use in normal to heavy-duty street, dirt & racing bikes. Selected high quality additives ensures optimal lubrication, Excellent engine cleanliness and impressive friction coefficient in all conditions. MARATHONER enhances engine cleanliness, Durability & improves clutch performance and longevity. It ensures low oil consumption and evaporation losses with optimal lubrication and maximises high shear and ageing stability. Recommended for use in all types of gasoline-fueled vehicles. It is recommended for all domestic and foreign vehicles. Meets API SM, SN OR SJ JASO MA2 specifications.



ARG POWER

Grades	SKUs Available
20W40	900mL

Product Description

ARG POWER 4T Oil is specifically blended from superior quality base oil stocks in combination with shear stability, VI improver and a robust additive package, providing an exceptional multi-functional oil. ARG POWER oil provide good engine cleanliness, Durability & improves clutch performance and longevity. It provide outstanding wet clutch protection for maximum Power Transfer & smooth shifting. Recommended for use in all 4 stroke high performance motorcycles of Bajaj, Honda, Hero Motor Corp, Suzuki, TVS and others. Meets API SM JASO MA2 specifications.



ZIPPY

Grades	SKUs Available
20W40	1Ltr / 500mL

Product Description

OSSOL ZIPPY 2T Engine Oil is specifically developed with selected base oils in combination with a fine selected additive package, providing an exceptional multi-functional oil. OSSOL ZIPPY 2T Engine Oil oil provide good engine cleanliness, Durability & improved longevity. It provide outstanding engine protection for maximum Power Transfer & protects from seizure, allowing fast and easy cold start. Recommended for use in all 4 stroke high performance motorcycles of Bajaj, Honda, Hero Motor Corp, Suzuki, TVS and others. Meets API SL JASO MA-2 specifications.



ACE SCOOTER



Grades	SKUs Available
20W40	800mL
10W30	800mL

Product Description

ACE SCOOTER has been specially developed for modern scooter engines with automatic transmission and dry clutch. The oil is blended with synthetic base stocks and advanced specially selected additives to ensure smoother rides.

ACE SCOOTER ensures smoother ride even in congested traffic, stop and start driving conditions. The friction modifiers used in oil reduces friction which gives you a better fuel economy

Recommended for use in modern scooters fitted automatic transmissions and dry clutch. Suitable for air cooled 4-stroke engines. Meets API SL JASO MB specifications.

ZIPPY FORK



Grades	SKUs Available
5W	350mL
10W	350mL
20W	350mL

Product Description

OSSOL ZIPPY FORK Series is an advanced mineral and synthetic based suspension fluid available in 5W, 10W, 20W grades designed to provide exceptional damping performance in any on and off road driving.

OSSOL ZIPPY FORK works over a broad range of temperatures resulting in improvement of damping performance, providing superior protection to suspension components from any wear and tear. It provide protection against corrosion to internal parts.

Recommended for use for all on and off road motorcycles and other road machines



SCAN TO CONTACT



Visit us at www.ossolpetro.com

Contact us at ; Email : sales@ossolpetro.com , Phone : +91-7227 999 742

SPEEDSTER



Grades	SKUs Available
0W40	4Ltr / 1Ltr
5W40	4Ltr / 1Ltr

Product Description

OSSOL SPEEDSTER Series are highly advanced passenger car motor oil specially formulated for the most advance high output gasoline and turbocharged engines. SPPEEDSTER keeps your engine running like new in all driving conditions.

OSSOL SPEEDSTER Series provide exceptional cleaning & provide sludge protection, keeping your engine close to factory clean. It provide superior wear & corrosion protection.

Recommended for use in passenger car, Light duty Vehicles & all gasoline powered vehicles Meets API SN/CF specifications.

SUPRIMO PRIME



Grades	SKUs Available
5W30	3.5Ltr / 3Ltr / 500mL
5W40	4Ltr / 3Ltr / 500mL
10W40	4Ltr / 3.5Ltr / 3Ltr / 500mL
15W40	5Ltr / 3.5Ltr

Product Description

OSSOL SUPRIMO PRIME is a shear stable multigrade gasoline passenger car & diesel light van engine oil, offering long-life engine performance & protection, with reliable engine cleanliness.

SUPRIMO PRIME Series helps improve engine performance by reliable protection against sludge. It is designed with low-ash forming additives, reducing deposits formation. Recommended for use in engines that require ACEA C3, API CF, API SN, API SM & older API gasoline specification such as API SL, API SH & API SG..

TURBO GOLD



Grades	SKUs Available
15W40	5Ltr / 2.5Ltr
20W40	5Ltr / 3Ltr

Product Description

OSSOL TURBO GOLD is formulated from high quality base oils and advanced technology additives enables the oil to operate at high temperatures providing maximum power.

TURBO GOLD provide superior engine protection at high operating temperature, helps in extending engine life by providing wear protection in extreme conditions that no mineral oil can surpass .

Recommended for use in engines that require API CF & API SL gasoline specifications.



MARVEL



Grades	SKUs Available
20W40	5Ltr / 4Ltr / 1Ltr / 500mL
20W50	5Ltr / 4Ltr / 1Ltr / 500mL

Product Description

OSSOL TURBO GOLD is formulated from high quality base oils and advanced technology additives enables the oil to operate at high temperatures providing maximum power.

TURBO GOLD provide superior engine protection at high operating temperature, helps in extending engine life by providing wear protection in extreme conditions that no mineral oil can surpass .

OSSOI MARVEL is suitable for use in Automotive gasoline engines where the manufacturer recommends API SL or earlier specification Lubricant oil.

ORYX DIESEL



Grades	SKUs Available
20W40	5Ltr / 4Ltr / 3.5Ltr / 1Ltr

Product Description

OSSOL ORYX DIESEL is formulated from selected base oils and advanced technology additives to meet the needs of Diesel Vehicles. It works excellent in severe driving conditions such as heavy traffic or harsh driving conditions.

ORYX DIESEL provide superior engine protection at high operating temperature, helps in extending engine life by providing wear protection in extreme conditions & provide superior protection against viscosity and thermal breakdown

OSSOI ORYX DIESEL is suitable for use in Automotive gasoline Diesel engines where the manufacturer recommends API SL or earlier specification Lubricant oil.

ORYX PETROL



Grades	SKUs Available
20W40	5Ltr / 4Ltr / 3.5Ltr / 3Ltr / 1Ltr / 500mL

Product Description

OSSOL ORYX PETROL is formulated from selected base oils and advanced technology additives to meet the needs of Diesel Vehicles. It works excellent in severe driving conditions such as heavy traffic or harsh driving conditions.

ORYX PETROL provide superior engine protection at high operating temperature, helps in extending engine life by providing wear protection in extreme conditions & provide superior protection against viscosity and thermal breakdown

OSSOI ORYX PETROL is suitable for use in Automotive gasoline Petrol engines where the manufacturer recommends API SL or earlier specification Lubricant oil.



ORYX DYNAMIC



Grades

20W50

SKUs Available

3.5Ltr / 3Ltr / 1Ltr / 500mL

Product Description

OSSOL DYNAMIC is formulated to provide the best resistance to oxidation & thermal degradation to perform best in engines offering long-life engine performance & protection, with reliable engine cleanliness.

OSSOL DYNAMIC Series helps improve engine performance by reliable protection against sludge. It is designed with low-ash forming additives, reducing deposits formation. Recommended for use in engines that require ACEA C3, API CF, API SN, API SM & older API gasoline specification such as API SL, API SH & API SG..

ORYX DYNAMIC BOOST



Grades

5W30

SKUs Available

3.5Ltr / 3Ltr

Product Description

ORYX DYNAMIC BOOST is a shear stable multigrade gasoline passenger car & diesel light van engine oil, offering long-life engine performance & protection, with reliable engine cleanliness.

DYNAMIC BOOST Series helps improve engine performance by reliable protection against sludge. It is designed with low-ash forming additives, reducing deposits formation. Recommended for use in engines that require ACEA C3, API CF, API SN, API SM & older API gasoline specification such as API SL, API SH & API SG..

ORYX DYNAMIC PRO



Grades

20W50

SKUs Available

3.5Ltr / 3Ltr / 1Ltr / 500mL

Product Description

OSSOL DYNAMIC PRO is specifically formulated to provide the best resistance to oxidation & thermal degradation from premium stocks to perform best in engines offering long-life engine performance & protection, with reliable engine cleanliness.

OSSOL DYNAMIC PRO Series helps improve engine performance by reliable protection against sludge. It is designed with low-ash forming additives, reducing deposits formation. Recommended for use in engines that require ACEA C3, API CF, API SN, API SM & older API gasoline specification such as API SL, API SH & API SG..



SYNGEAR



Grades	SKUs Available
EP- 90	20Ltr / 10Ltr / 5Ltr / 1Ltr / 500mL
EP- 140	7Ltr / 5Ltr / 1Ltr
80W 90	7Ltr / 5Ltr / 1Ltr
85W 140	10Ltr / 5Ltr / 1Ltr

Product Description

SYNGEAR Series are high performance GL-4 & GL-5 Gear oils. Syngear oils are manufactured from high quality base oils and high levels of Extreme Pressure additives to provide the lubrication with outstanding anti-wear protection.

SYNGEAR Gear Oils are designed to cope with the increasing demands of today's motoring conditions. It inhibits excellent Oxidation stability which gives Longer service Life.. Recommended for use in manual transmissions, limited slip, Differentials & other gear cases. It meets API GL-5 & GL-4 specifications, MT-1 & MIL-L-2105D Military specifications.

GEAR AXLE




Grades	SKUs Available
85W 140	15Ltr / 5Ltr / 1Ltr

Product Description

GEAR AXLE are high performance, Heavy duty multipurpose gear lubricant formulated from high performance base oils & an advanced additive system. Gear Axle Oils are engineered for automotive applications including heavy axles and final drives extreme pressure are expected. It provide outstanding anti-weld, anti-scuff & anti-wear protection. Helps prevent wear caused by lubrication, foaming & aeration. It gives Outstanding protection against low speed/ high torque wear & against high speed scoring.

Recommended for use in manual transmissions, limited slip, Differentials & other gear cases in passenger cars, light duty trucks as well as axles of heavy duty off road trucks. It meets API GL-5 specifications, MT-1 & MIL-L-2105D Military specifications.



SCAN TO CONTACT



Visit us at www.ossolpetro.com

Contact us at ; Email : sales@ossolpetro.com , Phone : +91-7227 999 742

TRACTOR MASTER



Grades	SKUs Available
20W40	20Ltr / 10Ltr / 8.5Ltr / 7.5Ltr / 1Ltr
15W40	20Ltr / 10Ltr / 8.5Ltr / 7.5Ltr / 1Ltr

Product Description

OSSOL TRACTOR MASTER is a multigrade Diesel Engine oil recommended for use in new generation Turbo charged diesel engines formulated from specifically selected base oil and high performance additives. It provide drain interval upto 500 Hrs.

TRACTOR MASTER has excellent wear control, shows good thermal & oxidation stability at high temperatures and minimises the build-up sludge. It has been formulated for unique friction and load carrying properties.

Recommended for Mahindra, Escorts, Tafe, Sonalika, New Holland, Eicher, HMT, Hindustan, Farmtrac, Swaraj & Masse Ferguson confirms to requirement of API CF-4 & U.S Military specification MIL-L-2104E

SURAKSHIT



Grades	SKUs Available
15W40	7.5Ltr / 1Ltr

Product Description

OSSOL SURAKSHIT is new generation engine oil for turbocharged diesel engines in tractors. It is designed with selected multi-functional additives to help engine perform it's best under various operating conditions. It provide drain interval upto 600 Hrs.

SURAKSHIT has superior Oxidation stability which controls sludge build-up & deposits and keeps your engine clean. It has Excellent corrosion inhibition properties which shows excellent Anti-Corrosive properties.

Recommended for Mahindra, Escorts, Tafe, Sonalika, New Holland, Eicher, HMT, Hindustan, Farmtrac, Swaraj & Masse Ferguson confirms to requirement of API CF-4 & U.S Military specification MIL-L-2104E and Heavy-Duty diesel engines used in mining, agriculture, construction & other On & Off highway, light and heavy duty applications.

AHD PRO CONTROL X



Grades	SKUs Available
20W40	8.5Ltr / 6.5Ltr

Product Description

OSSOL AHD PRO CONTROL-X is new generation engine oil for turbocharged diesel engines in tractors. It is designed with selected multi-functional additives to help engine perform it's best under various operating conditions. It provide drain interval of 600+ Hrs.

AHD PRO CONTROL-X has minimum oil consumption with superior Oxidation stability which controls sludge build-up & deposits and keeps your engine clean. It has Excellent corrosion inhibition properties which shows excellent Anti-Corrosive properties with Low Volatility.

Recommended for Mahindra, Escorts, Tafe, Sonalika, New Holland, Eicher, HMT, Hindustan, Farmtrac, Swaraj & Masse Ferguson confirms to requirement of API CF-4 & U.S Military specification MIL-L-2104E and Heavy-Duty diesel engines used in mining, agriculture, construction & other On & Off highway, light and heavy duty applications.



AGRI POWER WET BRAKE



Grades

UTTO

SKUs Available

26Ltr / 20Ltr / 5Ltr / 1Ltr

Product Description

OSSOL AGRI POWER WET BRAKE is a premium quality multipurpose universal tractor transmission oil which is blended from high quality hydro-cracked base oils. The product is doped with tailor made additives specifically used for wet brake, hydraulic, clutch & transmission system.

AGRI POWER WET BRAKE has high oxidation stability, excellent thermal stability, optimised clutch performance, good seal compatibility, high protection against rust and corrosion & enhanced load carrying capabilities.

Multipurpose power/ Transmission oil recommended for use in Transmission, Hydraulic & Wet Brake systems of Tractors & Construction machinery. Recommended for Tractors of Mahindra & Mahindra, Eicher, TAFE, SAME, Swaraj, Fiat having wet brakes. Meets John Deere J20C, J20D, Ford New Holland M2C 134D, Massey Ferguson M1110, 1127(A&B), Landini, Allison C-4 & C-3, Caterpillar TO-2 Specifications.

KISSAN SHAKTI (PSO)



Grades

20W40

SKUs Available

3.5Ltr

Product Description

OSSOL KISSAN SHAKTI PSO is heavy duty Pump Set Oil manufactured from highly refined base oil stocks with special additives to provide longer oil life and equipment life. It is designed for both compression-ignition and spark-ignition type engines..

KISSAN SHAKTI PSO protects engine from wear & tear, provide high level of engine cleanliness, Give easy engine start even at lower ambient temperatures & provide longer Equipment and oil life with improved fuel efficiency.

Recommended for all types of Pump-Sets & suitable for other Farm & Agricultural Equipments.



SCAN TO CONTACT



Visit us at www.ossolpetro.com

Contact us at ; Email : sales@ossolpetro.com , Phone : +91-7227 999 742



DIESEL MASTER

Grades	SKUs Available
15W40 CF4	20Ltr / 15Ltr / 10Ltr / 7.5Ltr / 5Ltr / 1Ltr

Product Description

OSSOL DIESEL MASTER 15W40 is high performance, heavy duty engine oil that provide ultimate protection to Diesel engines operating in severe conditions by providing effective lubrication & proper circulation of oil.

DIESEL MASTER keeps your engine clean and helps in delivering ultimate engine performance and use of advance additive technology to achieve high temperature piston deposit control, oil thickening and low temperature sludge protection to enhance engine and oil life.

Recommended for use in Heavy, Medium & Light duty, turbocharged or supercharged trucks & buses manufactured by TATA, Ashok Leyland, Mahindra, Eicher, TAFE, Escorts, ITL, PTL, John Deere & HMT. Also recommended in Tippers, Excavators, Dozers, DG Sets etc. Meets API CF4/ SJ, MIL-L-2104E, ALLISON C-4 specifications.



DIESEL MASTER R1

Grades	SKUs Available
15W40 CH4	15Ltr / 10Ltr / 7.5Ltr / 5Ltr / 3Ltr / 1Ltr

Product Description

OSSOL DIESEL MASTER R1 15W40 is superior quality, heavy duty diesel engine oil designed for modern engines used in toughest conditions, on & off road service applications. It is formulated with most advance additive components to demonstrate lower level of deposits.

DIESEL MASTER R1 helps in controlling the piston deposits which results in good dirt & deposit control and improves engine efficiency. It has a high thermal and oxidation stability and excellent detergency which keeps the engine clean and give a longer engine life.

Recommended for use in Heavy, Medium & Light duty, turbocharged or supercharged trucks & buses manufactured by TATA, Ashok Leyland, Mahindra, Eicher, TAFE, Escorts, ITL, PTL, John Deere & HMT. Meets API CH-4/ CG-4/ CF-4/ CF/ CF-2/ SL, CUMMINS CES 20076, CATERPILLAR: ECF-1-A specifications.



DIESEL MASTER BOOST

Grades	SKUs Available
15W40 CI4	15Ltr / 10Ltr / 7.5Ltr / 7Ltr / 5Ltr / 3Ltr / 1Ltr

Product Description

OSSOL DIESEL MASTER BOOST 15W40 is superior quality, heavy duty diesel engine which uses the most advanced technology with exceptional resistance to wear and tear, deposits on the piston & oxidation stability. The product meets and exceeds the specifications of all major European, American & Asian engine manufacturers.

DIESEL MASTER BOOST helps in controlling the piston deposits which results in good dirt & deposit control and improves engine efficiency. It has a high thermal and oxidation stability and excellent detergency which keeps the engine clean and give a longer engine life.

Recommended for use in Heavy, Medium & Light duty, turbocharged or supercharged trucks & buses manufactured by TATA, Ashok Leyland, Mahindra, Eicher, TAFE, Escorts, Volvo, Mercedes, Scania AMW etc. Meets API CI-4+, CH-4/ CG-4/ CF-4/ CF/ CF-2/ SL, CUMMINS CES 20078/77/76, CATERPILLAR: ECF-2, MACK EO-N specifications.





DIESEL MASTER STAMINA

Grades	SKUs Available
15W40 CI4+	15Ltr / 10Ltr / 1Ltr
10W40	15Ltr / 1Ltr

Product Description

OSSOL DIESEL MASTER STAMINA 15W40 is PREMIUM heavy duty diesel engine which uses the most advanced technology with exceptional resistance to wear and tear, deposits on the piston & oxidation stability. The product meets and exceeds the specifications of all major European, American & Asian engine manufacturers. DIESEL MASTER STAMINA helps in controlling the piston deposits which results in good dirt & deposit control and improves engine efficiency. It has a high thermal and oxidation stability and excellent detergency which keeps the engine clean and give a longer engine life.

Recommended for use in Heavy, Medium & Light duty, turbocharged or supercharged trucks & buses manufactured by TATA, Ashok Leyland, Mahindra, Eicher, TAFE, Escorts, Volvo, Mercedes, Scania AMW etc. Meets API CI-4+, CH-4/ CG-4/ CF-4/ CF/ CF-2/ SL, CUMMINS CES 20078/77/76, CATERPILLAR: ECF-2, MACK EO-N specifications.



GREEN PLUS DEF

Grades	SKUs Available
DEF	20Ltr

Product Description

OSSOL GREEN PLUS DEF is a mixture of high purity synthetic urea and de-ionized water which is used in Selective Catalytic Reduction (SCR) systems on diesel engines .

GREEN PLUS DEF prevents SCR breakdown, reduces harmful Nitrogen oxide emissions and improves fuel efficiency..

Meets ISO 22241 specifications.



SCAN TO CONTACT



Visit us at www.ossolpetro.com

Contact us at ; Email : sales@ossolpetro.com , Phone : +91-7227 999 742

OSSOLEX - 3



Grades

NLGI 3

SKUs Available

10Kg / 5Kg / 3Kg / 2Kg

1Kg / 500 Gm

Product Description

OSSOL OSSOLEX -3 greases are multi-purpose high quality lithium soap based grease. It is formulated to provide added protection against rusting & water washout in general purpose automotive applications at moderate temperatures and loads.

OSSOLEX -3 shows excellent mechanical stability & resistance to drying or softening which prevents leak out of bearings and ensures long life. It has good low temperature fluidity & High dropping point helps in achieving high operating temperature range.

Recommended for use in lubrication of Automotive chassis components, wheel bearings, clutch bearings, universal joints of cars, trucks & other mobile equipments operating under moderate conditions.

OSSOLEX RUN



Grades

NLGI 3

SKUs Available

7Kg / 5Kg / 3Kg / 1Kg

Product Description

OSSOL OSSOLEX RUN is a premium quality grease manufactured from high quality base stocks & lithium soaps fortified with specifically selected high performance additives. It provides outstanding Anti-Oxidative and structural stability.

OSSOLEX RUN shows excellent load carrying capacity ensures protection against wear & tear. It provides exceptional sealing properties & protects against rust and corrosion. Good thermal stability ensures extended life.

Suitable for lubrication for Chassis components, general lubrication of axles, ball joints & others. Recommended for use in lubrication of Automotive wheel bearings in trucks & buses and other applications operating under moderate conditions for a greasing interval of 49000 Kms in moderate conditions.

OSSOLEX GEL



Grades

NLGI 2

SKUs Available

5Kg / 3Kg / 2Kg / 1Kg / 500 Gm

Product Description

OSSOL OSSOLEX GEL is a premium quality Lithium soap based grease fortified with specifically selected high performance additives & selected base oil stocks to provide ultimate performance. It provides outstanding Anti-Oxidative and structural stability.

OSSOLEX GEL shows excellent load carrying capacity ensures protection against wear & tear. It provides exceptional sealing properties & protects against rust and corrosion. Good thermal stability ensures extended life.

Suitable for lubrication for Chassis components, general lubrication of axles, ball joints & others. Recommended for use in lubrication of Automotive wheel bearings in trucks & buses and other applications operating under moderate conditions for a greasing interval of 80000 Kms in moderate conditions.



OSSOLEX LIFE

Grades	SKUs Available
NLGI 3	5Kg / 2Kg / 1Kg / 500Gm



Product Description

OSSOL OSSOLEX LIFE is a premium quality Lithium Complex soap based grease fortified with specifically selected high performance extreme pressure additives & selected base oil stocks to provide excellent structural stability, resistance to washout & impeccable wear & tear protection. OSSOLEX LIFE shows excellent load carrying capacity ensures protection against wear & tear. It provides exceptional sealing properties, Outstanding Anti-wear & Extreme pressure properties ensures extended bearing life under extreme load conditions.

Suitable for lubrication for Chassis components, general lubrication of axles, ball joints & others. Recommended for use in lubrication of Automotive wheel bearings in trucks & buses and other applications operating under moderate conditions for a greasing interval of 100000 Kms in moderate conditions.

OSSOLEX LIFE PLUS

Grades	SKUs Available
NLGI 2	5Kg / 2Kg / 1Kg / 500Gm



Product Description

OSSOL OSSOLEX LIFE PLUS is a premium quality Lithium Complex soap based grease fortified with specifically selected high performance extreme pressure additives & selected base oil stocks to provide excellent structural stability, resistance to washout & impeccable wear & tear protection. OSSOLEX LIFE PLUS shows excellent load carrying capacity ensures protection against wear & tear. It provides exceptional sealing properties, Outstanding Anti-wear & Extreme pressure properties ensures extended bearing life under extreme load conditions.

Suitable for lubrication for Heavy duty equipments in Automotive, Marine, Off-shore, mining, cement & Industrial Applications Recommended for use in lubrication of Heavy Automotive trucks & buses and other applications operating under moderate conditions for a greasing interval of 100000 + Kms in moderate conditions.



SCAN TO CONTACT



Visit us at www.ossolpetro.com

Contact us at ; Email : sales@ossolpetro.com , Phone : +91-7227 999 742

COOLFIN



Grades	SKUs Available
CONCENTRATED	3Ltr / 1Ltr

Product Description

OSSOL COOLFIN is a premium quality radiator coolant which is free from amines, borates, silicates & phosphates. It is easily miscible with water & possesses excellent hard water stability.

COOLFIN exhibits high boiling point & low freezing point to take care in summer & Winter. Advised to use " One part of the concentrated fluid with Four parts of water in engine radiator coolant as per recommended by the OEM's.

Recommended for use in all cooling system of all Diesel, Petrol & CNG vehicles, Passenger Cars, Jeeps, Vans & Tempos. Meets JIS K 2234-2006 specifications (Undiluted).

COOLFIN HEAVY DUTY



Grades	SKUs Available
CONCENTRATED	3Ltr / 1Ltr

Product Description

OSSOL COOLFIN HEAVY DUTY is a premium quality radiator coolant which is free from amines, borates, silicates & phosphates. It is formulated with special inhibitors to provide excellent cooling of engine & provide effective corrosion protection.

COOLFIN HEAVY DUTY safeguards against winter frost damage & excessive evaporation in summers Advised to use " One part of the concentrated fluid with Four parts of water in engine radiator coolant as per recommended by the OEM's.

Recommended for use in all cooling system of all Diesel, Petrol & CNG vehicles, Passenger Cars, Jeeps, Vans & Tempos. Meets JIS K 2234-2006 specifications (Undiluted).

COOLFIN SFQ PREMIX



Grades	SKUs Available
PRE-MIX	5Ltr / 1Ltr

Product Description

OSSOL COOLFIN SFQ PREMIX is a premium quality radiator coolant which is free from amines, borates, silicates & phosphates. It provide excellent protection against cavitation corrosion & effective water pump lubrication, reducing wear and noise.

COOLFIN COOLFIN SFQ PREMIX prevents the build up of Calcium deposits. It works over a wide range of temperature range for effective engine cooling in all climates, & offers protection under freezing conditions.

Recommended for use in all cooling system of all Diesel, Petrol & CNG vehicles, Passenger Cars, Jeeps, Vans & Tempos. Meets JIS K 2234-2006 specifications (Diluted).



SYNGEAR TQX - ATF



Grades	SKUs Available
TYPE A	5Ltr / 1Ltr / 500mL

Product Description

OSSOL SYNGEAR TQX-ATF is high quality Automatic Transmission Fluid manufactured from highly refined base stocks & carefully selected Additives, to provide superior performance in Automatic Transmission

SYNGEAR TQX-ATF provide protection against wear and corrosion, while the high viscosity index ensure unmatched lubrication at high operating temperatures. It shows outstanding oxidation & thermal stability and good shear stability implies a longer service life of oil and the hardware.

Recommended for use in Power Steering units of Passenger Cars and Commercial Vehicles, Light Trucks, Automatic Transmission & certain manual transmissions where manufacturer specifies type A suffix A fluid. It is also recommended for Synchronmesh Gears. Meets General Motors Type A suffix A specifications.

SYNGEAR TQX - ATF PRO




Grades	SKUs Available
EXCEEDS TYPE A	1 Ltr

Product Description

OSSOL SYNGEAR TQX-ATF PRO is Premium quality Automatic Transmission Fluid manufactured from highly refined base stocks & proven performance additives to provide enhanced oxidation stability, excellent protection against rust and corrosion and un-matched frictional characteristics.

SYNGEAR TQX-ATF PRO provide good Anti-wear protection to critical parts, while the high viscosity index ensure unmatched lubrication at high operating temperatures. It shows outstanding oxidation & thermal stability and good shear stability implies a longer service life of oil and the hardware & good foam control leads to smooth gear shifting.

Recommended for use in Power Steering units of Passenger Cars and Commercial Vehicles, Light Trucks, Automatic Transmission & certain manual transmissions where manufacturer specifies type A suffix A fluid. It is also recommended for Synchronmesh Gears. Meet & Exceeds General Motors Type A suffix A specifications.



SCAN TO CONTACT



Visit us at www.ossolpetro.com

Contact us at ; Email : sales@ossolpetro.com , Phone : +91-7227 999 742

OSSOTECH



Grades

32 / 46 / 68

SKUs Available

26Ltr / 10Ltr / 5Ltr

Product Description

OSSOL OSSOTECH Oils are premium inhibited, general purpose circulating & hydraulic oils made from highly refined base oils, fortified with Anti-Wear, Anti-Oxidant, Anti-Rust & Anti-Foam additives.

OSSOTECH Series have high Anti-Oxidant properties which imparts longer service life, Presence of Anti-Wear additives provide excellent protection of pumps, hydraulics & circulation systems. It separate water rapidly & provide Effective rust protection.

Recommended for non-turbine circulating systems & for stationary and mobile hydraulic systems operating at moderate pressures, particularly where long service life is desired. It is suitable for gear, piston & Van hydraulic pumps operating at pressures more than 7 MPa (1000 psi) and and speed 1200 rpm.

LARK DOT



Grades

DOT 3

DOT 4

SKUs Available

1Ltr / 500ml / 250ml / 100ml

1Ltr / 500ml / 250ml

Product Description

OSSOL LARK DOT Brake fluid is poly-glycol-based brake fluid designed for extra high performance, use in automotive disc, drum, hydraulic brake system.

LARK DOT Brake fluid has superior high temperature stability which helps in trouble free functioning. It has excellent oxidation stability showing resistance to oxidation abilities encountered at high temperatures.

Recommended for use in applications requiring disc, drum & anti-skid braking system of all commercial vehicles, passenger cars and motorcycles operating under moderate conditions requiring DOT 3 or DOT 4 level performance.



SCAN TO CONTACT



Visit us at www.ossolpetro.com

Contact us at ; Email : sales@ossolpetro.com , Phone : +91-7227 999 742